

	<b>Obj. číslo</b>	<b>5734</b>
	<b>Norma</b>	<b>DIN 2184-1</b>
	<b>Norma</b>	<b>DIN 371</b>
	<b>Materiál nástroje</b>	<b>HSS-E</b>
	<b>Typ</b>	<b>N R40</b>
	<b>Tvar</b>	<b>C</b>
	<b>Tolerance průměru</b>	<b>ISO 2 / 6H</b>
	<b>Směr řezu</b>	<b>pravý</b>
	<b>Rabatová skupina</b>	<b>203</b>




závit ve slepém otvoru



zpracovaný v páře



externí chlazení



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	3,500	2,70	2,500	56,00	6,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	7,50	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	8,50	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	11,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	14,00	35,00	8,000
M10	1,50	10,000	8,00	8,500	100,00	16,00	39,00	10,000

Cena v Kč
<b>290,00</b>
<b>290,00</b>
<b>305,00</b>
<b>315,00</b>
<b>370,00</b>
<b>425,00</b>

pro závit ve slepém otvoru

<b>Obj. číslo</b>	<b>5737</b>
<b>Norma</b>	<b>DIN 2184-1</b>
<b>Norma</b>	<b>DIN 371</b>
<b>Materiál nástroje</b>	<b>HSS-E</b>
<b>Typ</b>	<b>N R40</b>
<b>Tvar</b>	<b>C</b>
<b>Tolerance průměru</b>	<b>ISO 2 / 6H</b>
<b>Směr řezu</b>	<b>pravý</b>
<b>Rabatová skupina</b>	<b>203</b>




závit ve slepém otvoru



povlak TiN



externí chlazení



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 2	0,40	2,800	2,10	1,600	45,00	4,50	13,50	2,000
M 3	0,50	3,500	2,70	2,500	56,00	6,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	7,50	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	8,50	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	11,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	14,00	35,00	8,000
M10	1,50	10,000	8,00	8,500	100,00	16,00	39,00	10,000

Cena v Kč
<b>320,00</b>
<b>370,00</b>
<b>395,00</b>
<b>400,00</b>
<b>500,00</b>
<b>537,50</b>
<b>687,50</b>

pro závit ve slepém otvoru



závit ve slepém otvoru



zpracovaný v páře



externí chlazení

Obj. číslo

5717

Norma

DIN 2184-1

Norma

DIN 376

Materiál nástroje

HSS-E

Typ

N R40

Tvar

C

Tolerance průměru


ISO 2 / 6H

Směr řezu

pravý

Rabatová skupina

203



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	2,200		2,500	56,00	6,00	18,00	3,000
M 4	0,70	2,800	2,10	3,300	63,00	7,50	21,00	4,000
M 5	0,80	3,500	2,70	4,200	70,00	8,50	25,00	5,000
M 6	1,00	4,500	3,40	5,000	80,00	11,00	30,00	6,000
M 8	1,25	6,000	4,90	6,800	90,00	14,00	35,00	8,000
M10	1,50	7,000	5,50	8,500	100,00	16,00	39,00	10,000
M12	1,75	9,000	7,00	10,200	110,00	18,50	49,00	12,000
M16	2,00	12,000	9,00	14,000	110,00	20,00	54,00	16,000
M20	2,50	16,000	12,00	17,500	140,00	25,00	62,00	20,000

Cena v Kč

355,00

320,00

315,00

310,00

325,00

440,00

485,00

712,50

1.075,00

pro závit ve slepém otvoru

10

	<b>Obj. číslo</b>	<b>5720</b>
	<b>Norma</b>	<b>DIN 2184-1</b>
	<b>Norma</b>	<b>DIN 371</b>
	<b>Materiál nástroje</b>	<b>HSS-E</b>
	<b>Typ</b>	<b>N R40</b>
	<b>Tvar</b>	<b>C</b>
	<b>Tolerance průměru</b>	<b>ISO 3 / 6G</b>
	<b>Směr řezu</b>	<b>pravý</b>
	<b>Rabatová skupina</b>	<b>203</b>



závit ve slepém otvoru




zpracovaný v páře



externí chlazení

**TOLERANCE  
ISO 3/6G**



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	3,500	2,70	2,500	56,00	6,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	7,50	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	8,50	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	11,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	14,00	35,00	8,000
M10	1,50	10,000	8,00	8,500	100,00	16,00	39,00	10,000

Cena v Kč
<b>335,00</b>
<b>305,00</b>
<b>345,00</b>
<b>330,00</b>
<b>390,00</b>
<b>512,50</b>

pro závit ve slepém otvoru

	<b>Obj. číslo</b>	<b>5738</b>
	<b>Norma</b>	<b>DIN 2184-1</b>
	<b>Norma</b>	<b>DIN 376</b>
	<b>Materiál nástroje</b>	<b>HSS-E</b>
	<b>Typ</b>	<b>N R40</b>
	<b>Tvar</b>	<b>C</b>
	<b>Tolerance průměru</b>	<b>6HX</b>
	<b>Směr řezu</b>	<b>pravý</b>
	<b>Rabatová skupina</b>	<b>203</b>




závit ve slepém otvoru



povlak TiN



externí chlazení



d1	P	d2	SW	dk	l1	l2	l3	Kód
mm	mm	mm		mm	mm	mm	mm	
M 3	0,50	2,200		2,500	56,00	6,00	18,00	3,000
M 4	0,70	2,800	2,10	3,300	63,00	7,50	21,00	4,000
M 5	0,80	3,500	2,70	4,200	70,00	8,50	25,00	5,000
M 6	1,00	4,500	3,40	5,000	80,00	11,00	30,00	6,000
M 8	1,25	6,000	4,90	6,800	90,00	14,00	35,00	8,000
M10	1,50	7,000	5,50	8,500	100,00	16,00	39,00	10,000
M12	1,75	9,000	7,00	10,20	110,00	18,50	49,00	12,000
M14	2,00	11,000	9,00	12,00	110,00	20,00	53,00	14,000
M16	2,00	12,000	9,00	14,00	110,00	20,00	54,00	16,000
M20	2,50	16,000	12,00	17,50	140,00	25,00	62,00	20,000
M24	3,00	18,000	14,50	21,00	160,00	30,00	73,00	24,000

Cena v Kč
<b>625,00</b>
<b>625,00</b>
<b>587,50</b>
<b>587,50</b>
<b>587,50</b>
<b>737,50</b>
<b>825,00</b>
<b>1.237,50</b>
<b>1.150,00</b>
<b>1.700,00</b>
<b>2.400,00</b>

pro závit ve slepém otvoru

	<b>Obj. číslo</b>	<b>5721</b>
	<b>Norma</b>	<b>DIN 2184-1</b>
	<b>Norma</b>	<b>DIN 371</b>
	<b>Materiál nástroje</b>	<b>HSS-E</b>
	<b>Typ</b>	<b>N R40</b>
	<b>Tvar</b>	<b>E</b>
	<b>Tolerance průměru</b>	<b>ISO 2 / 6H</b>
	<b>Směr řezu</b>	<b>pravý</b>
	<b>Rabatová skupina</b>	<b>203</b>



závit ve slepém otvoru




zpracovaný v páře



externí chlazení

**TVAR E  
S KRÁTKÝM  
NÁBĚHEM**



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	3,500	2,70	2,500	56,00	6,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	7,50	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	8,50	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	11,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	14,00	35,00	8,000
M10	1,50	10,000	8,00	8,500	100,00	16,00	39,00	10,000

Cena v Kč
<b>305,00</b>
<b>335,00</b>
<b>305,00</b>
<b>310,00</b>
<b>375,00</b>
<b>490,00</b>

pro závit ve slepém otvoru



	<b>Obj. číslo</b>	<b>5722</b>
	<b>Norma</b>	<b>DIN 2184-1</b>
	<b>Norma</b>	<b>DIN 371 / DIN 376</b>
	<b>Materiál nástroje</b>	<b>HSS-E-PM</b>
	<b>Typ</b>	<b>N R50</b>
	<b>Tvar</b>	<b>C</b>
	<b>Tolerance průměru</b>	<b>ISO 2 / 6H</b>
	<b>Směr řezu</b>	<b>pravý</b>
	<b>Rabatová skupina</b>	<b>203</b>



závit ve slepém otvoru




povlak TiN



externí chlazení

**HSS-E-PM + TiN  
+ 50° ŠROUBOVICE  
PRO MAXIMÁLNÍ  
ŽIVOTNOST**



d1	P	d2	SW	dk	l1	l2	l3	Kód
mm	mm	mm	mm	mm	mm	mm	mm	
M 3	0,50	3,500	2,70	2,500	56,00	6,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	7,50	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	8,50	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	11,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	14,00	35,00	8,000
M 10	1,50	10,000	8,00	8,500	100,00	16,00	39,00	10,000
M 12	1,75	9,000	7,00	10,200	110,00	18,50	49,00	12,000
M 14	2,00	11,000	9,00	12,000	110,00	20,00	53,00	14,000
M 16	2,00	12,000	9,00	14,000	110,00	20,00	54,00	16,000
M 20	2,50	16,000	12,00	17,500	140,00	25,00	62,00	20,000

Cena v Kč
<b>490,00</b>
<b>490,00</b>
<b>525,00</b>
<b>612,50</b>
<b>725,00</b>
<b>912,50</b>
<b>1.075,00</b>
<b>1.550,00</b>
<b>1.550,00</b>
<b>1.775,00</b>

pro závit ve slepém otvoru

	<b>Obj. číslo</b>	<b>5718</b>
	<b>Norma</b>	
	<b>Norma</b>	<b>Podniková norma</b>
	<b>Materiál nástroje</b>	<b>HSS-E</b>
	<b>Typ</b>	<b>N R40</b>
	<b>Tvar</b>	<b>C</b>
	<b>Tolerance průměru</b>	<b>6HX</b>
	<b>Směr řezu</b>	<b>pravý</b>
	<b>Rabatová skupina</b>	<b>203</b>




závit ve slepém otvoru

povlak TiN

externí chlazení

**EXTRA  
DLOUHÉ  
PROVEDENÍ**



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	3,500	2,70	2,500	112,00	6,00	18,00	3,000
M 4	0,70	2,800	2,10	3,300	112,00	7,50	77,00	4,000
M 5	0,80	3,500	2,70	4,200	125,00	8,50	90,00	5,000
M 6	1,00	4,500	3,40	5,000	125,00	11,00	90,00	6,000
M 8	1,25	6,000	4,90	6,800	140,00	14,00	97,00	8,000
M 10	1,50	7,000	5,50	8,500	160,00	16,00	117,00	10,000
M 12	1,75	9,000	7,00	10,200	180,00	18,50	133,00	12,000
M 16	2,00	12,000	9,00	14,000	220,00	20,00	168,00	16,000
M 20	2,50	16,000	12,00	17,500	280,00	25,00	225,00	20,000

Cena v Kč
<b>1.037,50</b>
<b>925,00</b>
<b>925,00</b>
<b>925,00</b>
<b>950,00</b>
<b>1.150,00</b>
<b>1.325,00</b>
<b>1.825,00</b>
<b>2.725,00</b>

pro závit ve slepém otvoru





závit v průchozím otvoru

● zpracovaný v páře

☒ externí chlazení

Obj. číslo

5733

Norma

DIN 2184-1

Norma

DIN 371

Materiál nástroje

HSS-E

Typ

N

Tvar

B

Tolerance průměru


ISO 2 / 6H

Směr řezu

pravý

Rabatová skupina

203



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	3,500	2,70	2,500	56,00	10,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	12,00	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	14,00	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	16,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	17,00	35,00	8,000
M10	1,50	10,000	8,00	8,500	100,00	20,00	39,00	10,000

Cena v Kč
275,00
280,00
280,00
285,00
330,00
395,00


pro závit v průchozím otvoru



závit v průchozím otvoru

 zpracovaný v páře

 externí chlazení

**Obj. číslo**
**5716**
**Norma**
**DIN 2184-1**
**Norma**
**DIN 376**
**Materiál nástroje**
**HSS-E**
**Typ**
**N**
**Tvar**
**B**
**Tolerance průměru**
**ISO 2 / 6H**
**Směr řezu**
**pravý**
**Rabatová skupina**
**203**


d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	2,200		2,500	56,00	10,00	18,00	3,000
M 4	0,70	2,800	2,10	3,300	63,00	12,00	21,00	4,000
M 5	0,80	3,500	2,70	4,200	70,00	14,00	25,00	5,000
M 6	1,00	4,500	3,40	5,000	80,00	16,00	30,00	6,000
M 8	1,25	6,000	4,90	6,800	90,00	17,00	35,00	8,000
M10	1,50	7,000	5,50	8,500	100,00	20,00	39,00	10,000
M12	1,75	9,000	7,00	10,200	110,00	24,00	49,00	12,000
M14	2,00	11,000	9,00	12,000	110,00	26,00	53,00	14,000
M16	2,00	12,000	9,00	14,000	110,00	26,00	54,00	16,000
M20	2,50	16,000	12,00	17,500	140,00	32,00	62,00	20,000

Cena v Kč

**305,00**
**300,00**
**300,00**
**315,00**
**370,00**
**425,00**
**500,00**
**737,50**
**737,50**
**1.175,00**

pro závit v průchozím otvoru



17



závit v průchozím otvoru

● zpracovaný v páře

☒ externí chlazení

Obj. číslo

5719

Norma

DIN 2184-1

Norma

DIN 371

Materiál nástroje

HSS-E

Typ

N

Tvar

B

Tolerance průměru


ISO 3 / 6G

Směr řezu

pravý

Rabatová skupina

203



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 3	0,50	3,500	2,70	2,500	56,00	10,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	12,00	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	14,00	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	16,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	17,00	35,00	8,000
M10	1,50	10,000	8,00	8,500	100,00	20,00	39,00	10,000

Cena v Kč
320,00
320,00
330,00
295,00
340,00
480,00

pro závit v průchozím otvoru




závit v průchozím otvoru

 povlak TiN

 externí chlazení

**Obj. číslo**
**5736**
**Norma**
**DIN 2184-1**
**Norma**
**DIN 371 / DIN 376**
**Materiál nástroje**
**HSS-E-PM**
**Typ**
**N**
**Tvar**
**B**
**Tolerance průměru**
**ISO 2 / 6H**
**Směr řezu**
**pravý**
**Rabatová skupina**
**203**

HSS-E-PM +  
TiN PRO  
MAXIMÁLNÍ  
ŽIVOTNOST



d1	P	d2	SW	dk	l1	l2	l3	Kód
	mm	mm		mm	mm	mm	mm	
M 2	0,40	2,800	2,10	1,600	45,00	8,00	13,50	2,000
M 3	0,50	3,500	2,70	2,500	56,00	10,00	18,00	3,000
M 4	0,70	4,500	3,40	3,300	63,00	12,00	21,00	4,000
M 5	0,80	6,000	4,90	4,200	70,00	14,00	25,00	5,000
M 6	1,00	6,000	4,90	5,000	80,00	16,00	30,00	6,000
M 8	1,25	8,000	6,20	6,800	90,00	17,00	35,00	8,000
M 10	1,50	10,000	8,00	8,500	100,00	20,00	39,00	10,000
M 12	1,75	9,000	7,00	10,200	110,00	24,00	49,00	12,000
M 14	2,00	11,000	9,00	12,000	110,00	26,00	53,00	14,000
M 16	2,00	12,000	9,00	14,000	110,00	26,00	54,00	16,000
M 18	2,50	14,000	11,00	15,500	125,00	30,00	62,00	18,000
M 20	2,50	16,000	12,00	17,500	140,00	32,00	62,00	20,000

Cena v Kč
<b>345,00</b>
<b>430,00</b>
<b>395,00</b>
<b>440,00</b>
<b>525,00</b>
<b>587,50</b>
<b>775,00</b>
<b>925,00</b>
<b>1.400,00</b>
<b>1.300,00</b>
<b>2.275,00</b>
<b>2.350,00</b>

pro závit v průchozím otvoru